

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONEROF PATENTS AND TRADEMARKS Washington DOC 20231 www.n-pto-gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
09 917,433	07 27 2001	Laurence Lee	P430.12-0002 2032		
164 7.	590 01 24 2002				
KINNEY & LANGE, P.A. THE KINNEY & LANGE BUILDING 312 SOUTH THIRD STREET			EXAMINER		
			BLANTON, REBECCA A		
MINNEAPOLI	IS, MN 55415-1002		ART UNIT	PAPER NUMBER	
			1762	-77	
			DATE MAILED: 01.24/2002		

Please find below and/or attached an Office communication concerning this application or proceeding.

-	\sim								
		Application	No.	Applicant(s)					
•		09/917,433		LEE ET AL.					
Office Action Summary		Examiner		Art Unit					
		Rebecca A.	Blanton	1762					
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address								
Period for Reply									
THE I - External after - If the - If NC - Failure - Any r	ORTENED STATUTORY PERIOD FOR REPL MAILING DATE OF THIS COMMUNICATION. msions of time may be available under the provisions of 37 CFR 1. SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a reply period for reply is specified above, the maximum statutory period reto reply within the set or extended period for reply will, by staturely received by the Office later than three months after the mailing adequate term adjustment. See 37 CFR 1.704(b).	.136(a). In no event ply within the statuto it will apply and will of the cause the applic	t, however, may a reply b ory minimum of thirty (30) expire SIX (6) MONTHS f ation to become ABANDO	the timely filed I days will be considered timely from the mailing date of this co ONED (35 U.S.C. § 133).	y. ommunication.				
1)[Responsive to communication(s) filed on 12	October 200	<u>1</u> .						
2a) <u></u> □	71110 404077 10 1 11 12 1	his action is n							
3)	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.								
Disposition of Claims									
4) Claim(s) 13-19 and 26-30 is/are pending in the application.									
4a) Of the above claim(s) is/are withdrawn from consideration.									
5) Claim(s) is/are allowed.									
6) Claim(s) <u>13-18 and 26-30</u> is/are rejected.									
7)[7) Claim(s) 19 is/are objected to.								
8) Claim(s) are subject to restriction and/or election requirement.									
Applicat	ion Papers								
	The specification is objected to by the Examir								
10)⊡ The drawing(s) filed on <u>27 July 2001</u> is/are: a)⊠ accepted or b)⊡ objected to by the Examiner.									
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).									
11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner.									
If approved, corrected drawings are required in reply to this Office action.									
,	The oath or declaration is objected to by the B	exammer.							
	under 35 U.S.C. §§ 119 and 120			10(a) (d) or (f)					
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).									
a) ☐ All b) ☐ Some * c) ☐ None of:									
1. Certified copies of the priority documents have been received.									
2. Certified copies of the priority documents have been received in Application No									
 Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 									
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).									
· I	a) The translation of the foreign language packnowledgment is made of a claim for dome	provisional ap	plication has beer	n received.					
Attachme									
1)	ice of References Cited (PTO-892) ice of Draftsperson's Patent Drawing Review (PTO-948) ormation Disclosure Statement(s) (PTO-1449) Paper No(s	3)	4) Interview Sur 5) Notice of Info 6) Other:	nmary (PTO-413) Paper N rmal Patent Application (P	o(s) TO-152)				

Art Unit: 1762

DETAILED ACTION

Information Disclosure Statement

The information disclosure statement filed 12 October 2001 fails to comply with 37 CFR 1.98(a)(2), which requires a legible copy of each U.S. and foreign patent; each publication or that portion which caused it to be listed; and all other information or that portion which caused it to be listed. It has been placed in the application file, but the information referred to therein has not been considered.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 13-16, 18, and 26-30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Glatt et al. (U.S. 4,858,552) in view of Reynolds (U.S. 3,354,863).

Referring to claims 13, 26, and 30, Glatt et al. disclose a fluidized bed apparatus capable of spraying, coating, and drying pellets of pharmaceutical material (column 1 lines 27-38 and column 2 lines 15-21). The fluidized bed, disclosed by Glatt et al., comprises a perforated base through which fluidizing gas flows, a channeling chamber such as a cylindrical rising tube, and a spray nozzle (column 2 lines 54-68 and column 3 lines 1-8). In column 3 lines 63-65, the reference teaches that the channeling cylinder may be vertically adjusted to adapt to different process conditions. The reference further teaches that the spray nozzle may also be adjusted vertically to allow for

Art Unit: 1762

different particle sizes and densities (column 3 lines 52-56, and 66-68 and column 4 lines 1-2). Glatt et al. disclose that the particles are carried upwards through the bed and are deflected outward and carried to the lower inlet area of the rising tube to allow for the particles to increase in size during the process (column 3 lines 31-36, and 50-53). Glatt et al. teach that the particles are loaded into the bed, and then are fluidized by an upward flowing gas (column 3 lines 22-36). In Figure 1, Glatt et al. show that the spray nozzle is adjusted to form a coating region inside of the cylindrical chamber. Furthermore, Glatt et al. teach that the circulating fluid allows for drying of the particles during the coating and agglomeration process (column 3 lines 15-21). The particles are circulated through the fluidized bed several times until the particles have reached the appropriate size (column 3 lines 50-55). Glatt et al. disclose that a multi-medium nozzle, which comprises liquid and gaseous components where the gaseous components atomize the liquid, is used as the spraying means for the coating liquid (column 6 lines 24-35). The reference further teaches that the spraying liquid may be heated to prevent the liquid from solidifying (column 6 lines 33-35). Glatt et al. do not teach positioning the spray nozzle in a non-heat conduction relation to the bottom screen. Reynolds teaches a method of coating particles with a liquid and drying the coating (column 1 lines 10-13). The coating apparatus, taught by Reynolds, comprises a cylindrical chamber in the fluidized bed, through which the coating fluid is sprayed, a spray nozzle, which has a coating fluid and an atomizing fluid, and a perforated base through which the fluidizing gas flows (Figure 1 and column 1 lines 27-54). Reynolds discloses that the particles circulate through the apparatus by flowing upward through

Art Unit: 1762

the cylindrical coating section and flowing downward in the drying section, outside of the cylindrical chamber (column 1 lines 55-42 and column 2 lines 1-5). Reynolds discloses that the spray nozzle comprises a coating material and an atomizing fluid and may be positioned above the perforated plate in a non-heat conducting manner, or it may be positioned flush with the perforated plate (Figure 1 and column 5 lines 24-30). It would have been obvious to one of ordinary skill in the art at the time the invention was made to position the spray nozzle in the fluidized bed coating/agglomeration apparatus, taught by Glatt et al., above the perforated plate in view of the teaching of Reynolds that placing the nozzle flush with the plate is equivalent to placing it above the perforated plate in a non-heat conducting relation to the perforated plate.

Referring to claims 14 and 15, Glatt et al. disclose that the fluidized spray is used to agglomerate and coat the particles in the fluidized bed (abstract).

Referring to claims 16 and 27, Glatt et al. discloses that the spraying liquid may be a liquid fat (column 7 lines 11-14).

Referring to claims 18 and 28, in column 3 lines 50-68, Glatt et al. teach that the liquid sprayer is height adjustable. In Figures 1 and 10, Glatt et al. show that the spray nozzle is adjustable below the bottom edge of the cylindrical chamber.

Referring to claim 29, Glatt et al. do not disclose a method for removing the coated particles from the fluidized bed. However, Reynolds teaches the use of a product line that removes coated particles from the bottom of the bed during the fluidization process, so that the cylindrical chamber is not removed from the fluidized bed during product removal (Figures 1 and 2 and column 1 lines 40-42, and 51-53). It

Art Unit: 1762

would have been obvious to one of ordinary skill in the art at the time the invention was made to look to prior art for a method of removing the coated particles from the fluidized bed taught by Glatt et al., in the absence of a teaching for removing the product particles, and to use the product line, in view of the teaching of Reynolds to remove the product particles without disturbing the cylindrical partition within the chamber.

Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Glatt et al. (U.S. 4,858,552) in view of Reynolds (U.S. 3,354,863) as applied to claim 13 above, and further in view of Biehl et al. (U.S. 4,217,851).

Glatt et al. and Reynolds disclose methods for coating particles using a fluidized bed, as described above. However, neither reference discloses the diameter-to-height ratio of the cylindrical portion in the fluidized bed. Biehl et al. disclose a fluidized bed coating apparatus that comprises a perforated plate, through which the fluidizing gas flows, a spray nozzle, and a cylindrical coating chamber (Figure 1 and column 2 lines 47-68). In column 4 lines 50-58, Biehl et al. teach that the particles flow upward through the cylindrical coating chamber, where they are sprayed with coating liquid. In Figure 1, the diameter of the cylindrical chamber appears to be equivalent to the length of the chamber. It would have been obvious to one of ordinary skill in the art at the time the invention was made, in absence of a specific diameter-to-length ratio being disclosed by Glatt et al. or Reynolds, to use a ratio equal to one as disclosed by Biehl et al.

Allowable Subject Matter

Art Unit: 1762

Claim 19 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

The applicant's limitation, in claim 19, that the inlet air temperature, a product temperature, a spray liquid temperature, a spray nozzle temperature, an atomizing air temperature, a spray liquid line temperature, a coating zone temperature, a fluidizing gas flow, and atomizing gas pressure are all monitored distinguishes over Glatt et al. because the reference does not teach monitoring all of these parameters at the same time.

None of the prior art of record teaches or makes obvious the applicant's claimed invention of a fluidized bed coating and agglomerating apparatus that measures all of the above mentioned parameters for the same coating process.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rebecca A. Blanton whose telephone number is 703-605-4295. The examiner can normally be reached on M - F (7:30am - 3:30pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Shrive P. Beck can be reached on 703-308-2333. The fax phone numbers for the organization where this application or proceeding is assigned are 703-305-5408 for regular communications and 703-872-9311 for After Final communications.

Art Unit: 1762

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0661.

rab 원 January 23, 2002

> SHRIVE P. BECK SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1700